

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1725	(717/108 or 717/140 or 717/146 or 717/148 or 717/151 or 717/153)".class"	US-PGPUB; USPAT	OR	OFF	2004/11/15 19:03
L2	17	parametric with polymorphism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 19:03
L3	1	l1 and l2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 19:07
L4	261	(717/129)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 19:04
L5	1	l4 and l2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 19:04
L6	734	(717/104 or 717/131)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 19:07
L7	1	l2 and l6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 19:07
S1	17	parametric with polymorphism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 11:15
S2	2	S1 and ((runtime or dynamic\$4) with execut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/12 13:18
S3	178	(runtime or dynamic\$4) with typing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/12 13:19

S5	11	((runtime or dynamic\$4) with typing) and polymorphism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/12 13:19
S6	5	(US-20030115573-\$).did. or (US-5628016-\$ or US-6269473-\$ or US-5093914-\$ or US-5748966-\$). did.	US-PGPUB; USPAT	OR	OFF	2004/11/15 11:11
S7	0	(variable or pointer) with this	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 11:13
S8	0	S6 and ((variable or pointer) with this)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 11:12
S9	0	S6 and ((variable or pointer) with "this")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 11:12
S10	0	S6 and ((variable\$1 or pointer\$1) with "this")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 11:13
S11	0	S6 and (variable with this)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 11:13
S12	5	(US-20030115573-\$).did. or (US-5628016-\$ or US-6269473-\$ or US-5093914-\$ or US-5748966-\$). did.	US-PGPUB; USPAT	OR	OFF	2004/11/15 19:02
S13	0	(variable or pointer) with this	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 11:15
S14	17	parametric with polymorphism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 11:15

S26	38909	(variable or pointer) with \$2is	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:30
S27	0	S14 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:29
S28	808	(\$2is adj2 pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:34
S29	1	(t\$1is adj2 pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:31
S30	11	(t\$1is near5 pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:32
S31	0	(?his near5 pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:33
S32	2557	(\$2is near5 pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:36
S33	8	S28 and polymorphism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:35
S37	322	(thi? with pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:37
S38	0	S37 and polymorphism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:37

S39	69	S37 and ((class\$2 or object\$1) with pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:37
-----	----	---	---	----	----	------------------